SYMPTOM COMPARISON CHART

(2///	Influenza	Norovirus	RSV	Cold	COVID-19
Incubation	1-7 days (Avg 1-4 days)	12-48 Hours	2-8 days (Avg 4-6 days)	8h-5 days (Avg 1-3 days)	2-14 days (Avg 3-5 days)
Symptom onset	Abrupt	Abrupt	Gradual	Gradual	Varies*2
Typical illness duration	3-7 days	1-2 days	7-10 days, up to 6 weeks	7-10 days	5-10 days

Signs/symptoms*3

organy symptoms							
Cough, chest discomfort	Common	Not a symptom	Common	Sometimes	Common		
Fatigue, weakness	Common	Sometimes	Sometimes	Sometimes	Common		
Fever*1	Common	Sometimes	Sometimes	Rare	Sometimes		
Aches	Common	Sometimes	Rare	Rare	Sometimes		
Chills	Common	Sometimes	Not a symptom	Rare	Sometimes		
Headache	Common	Sometimes	Sometimes	Rare	Common		
Sore throat	Sometimes	Not a symptom	Sometimes	Common	Common		
Sneezing	Sometimes	Rare	Sometimes	Common	Sometimes		
Congestion, runny nose	Sometimes	Not a symptom	Common	Common	Common		
Shortness of breath	Rare	Rare	Sometimes	Rare	Common		
Nausea	Rare	Common	Not a symptom	Rare	Sometimes		
Vomiting	Rare	Common	Rare	Not a symptom	Sometimes		
Diarrhea	Rare	Common	Rare	Not a symptom	Sometimes		
Stomach pain	Rare	Common	Not a symptom	Rare	Rare		
Wheezing	Rare	Not a symptom	Common	Rare	Rare		
New loss of taste of smell	Not a symptom	Not a symptom	Not a symptom	Not a symptom	Sometimes		

Footnotes:

- Fever is defined as a temperature above 100.4°F (38°C) under the arm, forehead or oral. <u>CFOC Standards Database | National Resource Center (nrckids.org)</u>
- People with COVID-19 have had a wide range of symptoms reported ranging from mild symptoms to severe illness. Symptoms may appear 2-14 days after exposure to the virus. <u>Symptoms of COVID-19 | CDC</u>
- "If you test positive for COVID-19, stay home for at least 5 days and isolate from others in your home. You are likely most infectious during these first 5 days." Isolation and Precautions for People with COVID-19 | CDC

